

To: Alice Gilliland/CI/USEPA/US@EPA[]
Cc: Holly Ferguson/CI/USEPA/US@EPA; Kelly Smith/ADA/USEPA/US@EPA; Rick Wilkin/ADA/USEPA/US@EPA; Steve Vandegrift/ADA/USEPA/US@EPA[]; elly Smith/ADA/USEPA/US@EPA; Rick Wilkin/ADA/USEPA/US@EPA; Steve Vandegrift/ADA/USEPA/US@EPA[]; ick Wilkin/ADA/USEPA/US@EPA; Steve Vandegrift/ADA/USEPA/US@EPA[]; teve Vandegrift/ADA/USEPA/US@EPA[]
From: "Jarosz, Margaret" <mjarosz@fedcsc.com>
Sent: Tue 7/31/2012 12:26:56 PM
Subject: RE: TR Numbers
[mime.htm](#)
mjarosz@fedcsc.com
www.csc.com
mjarosz@fedcsc.com
www.csc.com
mjarosz@fedcsc.com
www.csc.com

Alice,

I am free to discuss anytime today.

Thanks,

MARGARET JAROSZ

Environmental Coordinator-Regions 1, 4, ORD and GLNPO

CSC

15000 Conference Center Drive, Chantilly VA 20151

Civil Division | (p) 703-818-4351 | (f) 703-818-4602 | mjarosz@fedcsc.com | www.csc.com

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

From: Alice Gilliland [<mailto:Gilliland.Alice@epamail.epa.gov>]
Sent: Monday, July 30, 2012 8:32 PM
To: Jarosz, Margaret
Cc: Holly Ferguson; Kelly Smith; Rick Wilkin; Steve Vandegrift

Subject: Re: TR Numbers

Margaret,

We should talk in the morning. Can you discuss sometime between 9a - 11a EDT?

Thanks,
Alice

From: "Jarosz, Margaret" [mjarosz@fedcsc.com]
Sent: 07/30/2012 02:49 PM AST
To: Alice Gilliland
Cc: Holly Ferguson; Kelly Smith; Rick Wilkin; Steve Vandegrift
Subject: RE: TR Numbers

Alice,

I am referring to Case 42753; however, I am not referring to the sample IDs. I am referring to the TR number, which is a unique number that can be associated to a specific TR. As you can see, the attached TRs do not have anything indicated as a TR number.

Thanks,

MARGARET JAROSZ

Environmental Coordinator-Regions 1, 4, ORD and GLNPO

CSC

15000 Conference Center Drive, Chantilly VA 20151

Civil Division | (p) 703-818-4351 | (f) 703-818-4602 | mjarosz@fedcsc.com | www.csc.com

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

From: Alice Gilliland [mailto:Gilliland.Alice@epamail.epa.gov]
Sent: Monday, July 30, 2012 2:40 PM
To: Jarosz, Margaret
Cc: Holly Ferguson; Kelly Smith; Rick Wilkin; Steve Vandegrift
Subject: Re: TR Numbers

Margaret,

Assuming you are referring to case 42753, is this what you need (per your email 7/20):

Issue: The sample IDs used were not in CLP format. ORD confirmed that SMO could generate CLP IDs for the samples and provide the comparison list of ORD IDs and CLP IDs to the laboratory.

Resolution: The laboratory will use the CLP sample IDs listed below for each corresponding Station Location as listed on the TR/COC. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

Station Location

DM CLP Sample ID

TM CLP Sample ID

Field Blk 01

MH3BM4

MH3BQ1

Field Blk 02

MH3BM5

MH3BQ2

Field Blk 03

MH3BM6

MH3BQ3

Field Blk 04

MH3BM7

MH3BQ4

Equip Blk 01

MH3BM8

MH3BQ5

Equip Blk 02

MH3BM9

MH3BQ6

Equip Blk 04

MH3BN0

MH3BQ7

PGDW05-0412

MH3BN1

MH3BQ8

PGDW20-0412

MH3BN2

MH3BQ9

PGDW20d-0412

MH3BN3

MH3BR0

PGDW23-0412

MH3BN4

MH3BR1

PGDW30-0412

MH3BN5

MH3BR2

PGDW50-0412

MH3BN6

MH3BR3

PGPW02-0412

MH3BN7

MH3BR4

EPAMW02-0412-1

MH3BN8

MH3BR5

EPAMW02-0412-2

MH3BN9

MH3BR6

EPAMW01-0412

MH3BP0

MH3BR7

EPAMW01d-0412

MH3BP1

MH3BR8

EPAMW01-0412-2

MH3BP2

EPAMW01-0412-3

MH3BP3

EPAMW01-0412-4

MH3BP4

EPAMW01-0412-5

MH3BP5

EPAMW01-0412-6

MH3BP6

EPAMW01-0412-7

MH3BP7

EPAMW01-0412-8

MH3BP8

EPAMW01-0412-9

MH3BP9

EPAMW01-0412-10
MH3BQ0
MH3BR9

Also, can CLP assign TRs for the new sample sets (the 2 new MAs that we approved today)?

Thanks,
Alice

Alice Gilliland, Ph.D.
Assistant Laboratory Director for Water
National Risk Management Research Laboratory
U.S. EPA Office of Research and Development
Cincinnati, OH
513-569-7852

From: "Jarosz, Margaret" <mjarosz@fedcsc.com>
To: Alice Gilliland/CI/USEPA/US@EPA, Kelly Smith/ADA/USEPA/US@EPA, Rick Wilkin/ADA/USEPA/US@EPA, Holly Ferguson/CI/USEPA/US@EPA, Steve Vandegrift/ADA/USEPA/US@EPA
Date: 07/30/2012 02:18 PM
Subject: TR Numbers

Good afternoon,

Can you please advise on what you would like to use for TR numbers? Please note that there were no TR numbers listed on the attached TRs and the laboratory needs to be able to enter something in the field for the EDD. It is required for each Sample under the SamplePlusMethod node in the EDD. Please let me know if you have any questions.

Thanks,
MARGARET JAROSZ
Environmental Coordinator-Regions 1, 4, ORD and GLNPO
CSC

15000 Conference Center Drive, Chantilly VA 20151
Civil Division | (p) 703-818-4351 | (f) 703-818-4602 | mjarosz@fedcsc.com | www.csc.com

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

[attachment "MH3BQ1-TR.PDF" deleted by Alice Gilliland/CI/USEPA/US] [attachment "MH3BP4-TR.PDF" deleted by Alice Gilliland/CI/USEPA/US] [attachment "MH3BM4-TR.PDF" deleted by Alice Gilliland/CI/USEPA/US]